

email: chris@cmengrave.ca
web: www.cmengrave.ca

ph: 204-224-2416



CM ENGRAVE

WE PRIDE OURSELVES ON QUALITY, SERVICE, PRODUCT & PRICE

plastic nameplates lamacoids plastic nameplates
nametags lamacoids metal nameplates Specification Lables
nametags metal nameplates nametags
machinery tags Custom Cuts Custom Cuts
metal nameplates Templates plastic labels lamacoids
nametags machinery tags plastic labels nametags
fire exit stairwell signage Specification Lables
metal nameplates Custom Cuts machinery tags
Templates

Industrial Lamicoids, Signage

Specification Lables machinery tags
plastic labels plastic labels machinery tags Custom Cuts
Custom Cuts Custom Cuts
fire exit stairwell signage Templates Custom Cuts
Specification Lables
lamacoids plastic nameplates
Specification Lables metal nameplates plastic signs
machinery tags plastic labels metal nameplates lamacoids
nametags Custom Cuts fire exit stairwell signage
Templates plastic labels plastic labels machinery tags
Templates machinery tags

Stainless Steel tags

INDUSTRIAL COMPANIES
We accept both Master Card / VISA

WWW.CMENGRAVE.CA

471-1087

PERSONAL, CORPORATE, INDUSTRIAL LAMICOID, PLASTIC & METAL, PLAQUES, ANNUALS, NAME TAGS, SIGNAGE, TROPHY PLATES, 3 POINT SHIELDS, PERSONAL, CORPORATE, INDUSTRIAL LAMICOID, PLASTIC

PERSONAL, CORPORATE, INDUSTRIAL LAMICOID, PLASTIC & METAL, PLAQUES, ANNUALS, NAME TAGS, SIGNAGE, TROPHY PLATES, 3 POINT SHIELDS, PERSONAL, CORPORATE, INDUSTRIAL LAMICOID, PLASTIC

Industrial lamicroids/Signage

any shape, design, template can be engraved and lasered cut.
(up to 12" x 16")

A large inventory of colored plastic
pluss all lamicroids come with double sided tape/

Most orders ready in 2-3 days from quote approval
Within Wpg. we deliver to your door free on orders over \$75.00

THIS ALARM IS ONLY
LOCAL IN CASE OF
FIRE PHONE

911

LOGO'S , SCHEMATICS

SPRINKLER
CONTROL
VALVE

44

LAMICOID TAGS
CORNERS NOTCHED
HOLES DRILLED

43



Personal, Corporate, Industrial Lamicroids,
Plastic & Metal, Plaques, Annuals,
Name Tags, Signage

CLARK From the factory this truck meets ASME B56.1

Authorization No. 67775

Model	Type	Serial No.		
IT40B	4	IT355-169-4775		
Attachments	5		24	in
Rearward Tilt	deg	C	D147	A
				mm
				lb
				kg
				lb
				kg
				24
				kg
			PNEUMATIC	kg
D/Tire Width	in	mm		in
D/Tire Type			B	mm
Truck Weight	lb or	kg	Max Battery	lb or
Electric truck in without Battery			Min Battery	lb or
				kg
Max. Amp Hrs.			Volts	Battery Type

Made in Korea For other capacities consult Clark Material Handling Co. Lexington, KY 8032189

Las
er
Cut

1.25"

1.5"

STAINLESS STEEL TAGS "lasered"

.75" x 3"

46

45

THIS ALARM IS ONLY LOCAL IN CASE OF FIRE PHONE

911

UNDERGROUND CONDUCTORS

CIRCUIT I.D. FEED FROM CSTE
YEAR INSTALLED 2011
DIAGRAM B4-1 DETAIL 1 TABLE D8B
SIZE/TYPE OF CONDUCTOR 350 MCM CU
AMPACITY 450A MAX. OVERCURRENT 400A

WW-12-VAV-07

Free Quotes

Weather Proof Plastic

LIGHTING RETROFIT

09/06/10

ELECTRICAL RATING

Voltage - 347v
Amperage - 0.30 amps
Wattage - 70 Watts

POWER SWITCH

ON 
OFF 

PANEL FEED
12345678

PANEL C cct. 43

PANEL C cct. 45

PANEL C cct. 70

PANEL C cct. 70

PANEL C cct. 72

PANEL C cct. 42

PANEL C cct. 40

PANEL C cct. 64

PANEL C cct. 74

PANEL C cct. 76

PANEL C cct. 38

PANEL C cct. 36

PANEL C cct. 78

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1

PANEL C cct. 1



CM ENGRAVE

MOST COMMON COLORS IN STOCK

BLACK / WHITE TEXT

WHITE / BLACK TEXT

WHITE / RED TEXT

YELLOW / BLACK TEXT

BLUE / WHITE TEXT

GREEN / WHITE TEXT

RED / WHITE TEXT

WHITE / BLUE TEXT

MORE TO CHOOSE FROM


ORANGE / WHITE TEXT

SILVER / BLACK TEXT

PLUS WE CARRY
 WEATHER PROOF PLASTIC
 3MM PLASTIC

LARGE SELECTION OF COLORED ALUMINUM

LASER



ROTARY
 &
 DIAMOND
 ENGRAVING

UNDERGROUND CONDUCTORS

CIRCUIT I.D. FEED FROM CSTE

YEAR INSTALLED 2011

DIAGRAM B4-1 DETAIL 1 TABLE D8B

SIZE/TYPE OF CONDUCTOR 350 MCM CU

AMPACITY 450A MAX. OVERCURRENT 400A

MODEL No. PC-4850-16	SERIAL No. 20121050
EQUIPMENT TYPE Powder Coat Oven	DATE 10/18/2012
VOLTAGE 240v	PH. 1 AMPS 105a
CONTROL VOLTAGE 120vac. 24vac. 24vdc.	
FUEL TYPE Nat. Gas	BTU'S 745,000
SUPPLY PRES. 3.5 inches	MIN. MANIFOLD PRES. 2 inches
MAX. MANIFOLD PRES. 3.5	MAX. OVEN TEMP 500 deg
EXHAUST FAN CFM 1200	MAKEUP AIR CFM 4500
PURGE TIME 2 min.	RECIRC. FAN CFM 1200
PUMP #1 GPM 73	MAX. SPRAY PRES. 5 psi
PUMP #2 GPM 73	MIN. SPRAY PRES. 2 psi